Number N				T == -	, _ ,
- 58 message adj gate and @ad<=20000509 - 3 authenticat5 with local5 with endpoint5 and @ad<=2000509 - 86 jini and @ad<=20000509 - 86 jini and @ad<=20000509 - 6 advertisement with authenticat5 with USPAT; USP	L Number		Search Text		
S8 message adj gate and @ad<=20000509 SPO; JPO; DERWENT US-PGPUB; EPO; JPO; DERW	-	59	message adj gate and @ad<=20000831	1	2004/08/02 15:46
DERWENT U.S-NGPUB; U.S-NG				· ·	
S8					
US-RCPUB; EPO; JPO; DERMENT US-RT; and @ad<-20000509 US-RCPUB; EPO; JPO; DERMENT US-RT; US-RCPUB; EPO; JPO; DERMENT		E 0	magaza adi gata and gad<-20000500	1	2004/09/03 10:16
BEOG JPO; BEOG	-	38	message adj gate and ead<=20000509	· ·	2004/08/03 10:16
DERMENT and @ad<=20000509 86 jini and @ad<=20000509 86 advertisement with authenticat\$ with USPAT; US-RCPUB; EPO, JPO; DERMENT USPAT; USPAT; US-RCPUB; EPO, JPO; DERMENT USPAT; US-RCPUB;					
and @ad<=20000509 - 86 101 and @ad<=20000509 SPAT; US-PGUB; EPO; JPO; DEAMENT USPAT; US-PGUB; EPO; JPO; JPO; DEAMENT USPAT; US-PGUB; EPO; JPO; JPO; JPO; JPO; JPO; JPO; JPO; J					
and @ad<=20000509 - 86 jini and @ad<=20000509 - 6 advertisement with authenticats with USPAT; address and @ad<=20000509 - 2 965917.pn. and @ad<=20000509 - 2 965917.pn. and @ad<=20000509 - 2 permit adj controlling adj access adj services adj protected adj memory.ti. and @ad<=20000509 - 3 456920.pn.and @ad<=2000509 - 3 456920.pn.and @ad<=20000509 - 3 8 service adj advertisement with address and @ad<=20000509 - 0 service adj advertisement with address and authenticats and @ad<=20000509 - 12 service with advertisement with address and authenticats and @ad<=20000509 - 12 service with advertisement with address and authenticats and @ad<=20000509 - 12 service with advertisement with address and authenticats and @ad<=20000509 - 12 service with advertisement with address and @ad<=20000509 - 12 service with advertisement with address and @ad<=20000509 - 12 service with advertisement with address and @ad<=20000509 - 12 authentication adj server with server and @ad<=20000509 - 13 authentication adj server with service adj server and @ad<=20000509 - 14 authentication adj server with service adj server with address and @ad<=20000509 - 15 authentication adj server with service adj server with address and @ad<=20000509 - 10 authentication adj server with service adj server with address and @ad<=20000509 - 10 authentication adj server with service adj server with address and @ad<=20000509 - 10 authentication adj server with service adj server with address and @ad<=20000509 - 10 authentication adj server with service adj server with address and @ad<=20000509 - 10 authentication adj server with service adj server with address and @ad<=20000509 - 10 authentication adj server with server with service adj server with address and @ad<=20000509 - 10 authentication adj server with server with service adj server with address and @ad<=20000509 - 10 authentication adj server with server with service adj server with address and @ad<=20000509 - 10 authentication adj server with service adj server with service ad	_	3	authenticats with locals with endnoints	i	2004/08/03 10:18
### 2004/08/03 10:51 ### 2004/08/03 10:61 ### 2004/08/03 10:61 ### 2004/08/03 10:61 ### 2004/08/03 10:61 ### 2004/		5		1	2004/00/03 10.18
Second S	!		and ead(-20000303	1	
36 jini and @ad<=20000509					
US-PCPUB; EEC, JPC; DERWENT US-PCPUB; EEC; JPC; DC; DERWENT US-PCPUB;	_	86	 iini and @ad<=20000509	i .	2004/08/03 10:51
Comparison Com		00	l land (dd 200000)	1	2001,00,00 10.01
CERMENT SPAT; SP				1	
Continue				1 '	
address and @ad<=20000509 - 2 965917.pn. and @ad<=20000509 - 2 permit adj controlling adj access adj pervices adj protected adj memory.ti. and	_	6	advertisement with authenticat\$ with		2004/08/03 10:57
2 965917.pn. and @ad<=20000509				1	
DERMENT USPAT; USPGUB; EPO; JPO;				1	
2 permit adj controlling adj access adj SPO; DERMENT Services adj protected adj memory.ti. and Rad<-20000509 SPGUB; EPO; JPO; DERMENT SPGUB; EPO; JPO; JPO;					ł
Permit adj controlling adj access adj SEPO; JPO; DERWENT US-PAT;	-	2	965917.pn. and @ad<=20000509	USPAT;	2004/08/03 10:59
2 permit adj controlling adj access adj Services adj protected adj memory.ti. and Services adj advertisement with address and Service adj advertisement with address and Services and authenticats and Services and authenticats and Services Services and authenticats and Services Services and authenticats Services and authenticats Services and Services Serv				US-PGPUB;	
2 permit adj controlling adj access adj USPAT; services adj protected adj memory.ti. and (ad<=20000509) Popper				EPO; JPO;	
Services adj protected adj memory.ti. and B-PGPUB; EPO; JPO; DERWENT US-PGPUB; EPO;				DERWENT	
@ad<=20000509 EPO; JPO; DERWENT USPAT; US-PGFUB; EPO; JPO; JPO; JPO; JPO; JPO; JPO; JPO; J	-	2	11	USPAT;	2004/08/03 11:01
DERMENT USPAT; US-FGPUB; EPO; JPO; DERMENT USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; U				1	
3 456920.pn.and @ad<=20000509			@ad<=20000509	1	
Service adj advertisement with address and (ad<=20000509 Service adj advertisement with address and (ad<=20000509 Service adj advertisement with address and (authenticats and (ad<=20000509 Service with advertisement with address and (authenticats and (ad<=20000509 Service with advertisement with address and (authenticats and (ad<=20000509 Service with advertisement with address and (authenticats and (ad<=20000509 Service with service with service adj server with service with server and (ad<=20000509 Service with service with service adj server and (ad<=20000509 Service with service adj server with service adj server with address and (ad<=20000509 Service with service adj server with address and (ad<=20000509 Service with service adj server with address and (ad<=20000509 Service with service adj server with address and (ad<=20000509 Service with service adj server with address and (ad<=20000509 Service with service adj server with address and (ad<=20000509 Service with service adj server with address and (ad<=20000509 Service with service adj server with address and (ad<=20000509 Service with service adj server with address and (ad<=20000509 Service with service adj server with address and (ad<=20000509 Service with service adj server with address and (ad<=20000509 Service with service with service adj server with address and (ad<=20000509 Service with service with service with service adj server with address and (ad<=20000509 Service with service with service with service with service adj server with address and (ad<=20000509 Service with service with service with service with service adj service with address and (ad<=20000509 Service with service with service with service adj service with address and (ad<=20000509 Service with service with service with service with service adj service with service with service adj service with service adj service with service with service with service with service adj service with service with service with service with service					
Service adj advertisement with address and @ad<=20000509	-	3	456920.pn.and @ad<=20000509		2004/08/03 13:55
Service adj advertisement with address and (gad<=20000509 Service with garrier w					1
8 service adj advertisement with address and (Bad<=20000509 USPAT; USPGPUB; EPO; JPO; DERWENT USPAT; USPAT; USPGPUB; EPO; JPO; DERWENT USPAT; US					
Qad<=20000509		_			0004/00/00 10 ==
- 0 service adj advertisement with address and authenticat\$ and @ad<=20000509 - 12 service with advertisement with address and authenticat\$ and @ad<=20000509 - 2004/08/03 13:58 - 2004/08/03 13:58 - 2004/08/03 15:03 - 2004/08/03 15:03 - 2004/08/03 15:03 - 2004/08/03 15:03 - 2004/08/03 15:03 - 2004/08/03 15:03 - 2004/08/03 15:03 - 2004/08/03 15:03 - 2004/08/03 15:03 - 2004/08/03 15:03 - 2004/08/03 15:03 - 2004/08/03 15:03 - 2004/08/03 15:03 - 2004/08/03 15:03 - 2004/08/03 15:03 - 2004/08/03 15:03 - 2004/08/03 15:03 - 2004/08/03 15:03 - 2004/08/03 15:03 - 2004/08/03 15:04	-	8		1	2004/08/03 13:57
DERWENT USPAT; US-PGPUB; EPO; JPO; DERWENT US-PGPUB; EPO;			@aqx=20000509	1	
- 0 service adj advertisement with address and authenticats and @ad<=20000509 - 12 service with advertisement with address and duthenticats and @ad<=20000509 - 839 authentication adj server with server and @ad<=20000509 - 172 authentication adj server with service with server and @ad<=20000509 - 10 authentication adj server with service adj server and @ad<=20000509 - 10 authentication adj server with service adj server and @ad<=20000509 - 1 authentication adj server with service adj server with address and @ad<=20000509 - 1 authentication adj server with service adj server with address and @ad<=20000509 - 1 authentication adj server with service adj server with address and @ad<=20000509 - 1 authentication adj server with server with separate with address and @ad<=20000509 - 1 authentication adj server with server with separate with address and @ad<=20000509 - 1 authentication adj server with separate with address and @ad<=20000509 - 1 authentication adj server with separate with address and @ad<=20000509 - 1 authentication adj server with separate with address and @ad<=20000509 - 1 authentication adj server with separate with address and @ad<=20000509 - 1 authentication adj server with separate with address and @ad<=20000509 - 1 authentication adj server with separate with address and @ad<=20000509 - 2004/08/03 15:06					
authenticat\$ and @ad<=20000509 - 12 service with advertisement with address and authenticat\$ and @ad<=20000509 - 839 authentication adj server with server and @ad<=20000509 - 172 authentication adj server with service with server and @ad<=20000509 - 10 authentication adj server with service with service adj server and @ad<=20000509 - 10 authentication adj server with service adj server and @ad<=20000509 - 1 authentication adj server with service adj server with address and @ad<=20000509 - 1 authentication adj server with service adj server with address and @ad<=20000509 - 1 authentication adj server with service adj server with address and @ad<=20000509 - 1 authentication adj server with server with separate with address and @ad<=20000509 - 1 authentication adj server with server with separate with address and @ad<=20000509 - 1 authentication adj server with separate with address and @ad<=20000509 - 1 authentication adj server with separate with address and @ad<=20000509 - 1 authentication adj server with separate with address and @ad<=20000509 - 1 authentication adj server with separate with address and @ad<=20000509 - 1 authentication adj server with separate with address and @ad<=20000509	_	0	service adj advertisement with address and		2004/09/03 13:50
12 service with advertisement with address and authenticat\$ and @ad<=20000509		U			2004/00/03 13:38
DERWENT USPAT; U			auchemeteacy and ead\-20000309		
12 service with advertisement with address and authenticat\$ and @ad<=20000509 US-PGPUB; EPC; JPC; DERWENT US					
and authenticat\$ and @ad<=20000509 839 authentication adj server with server and @ad<=20000509 172 authentication adj server with service with server and @ad<=20000509 173 authentication adj server with service with service adj server and @ad<=20000509 174 175 175 176 177 177 178 179 189 189 189 189	_	12	service with advertisement with address	l .	2004/08/03 15:03
### Base Base		_ -			
authentication adj server with server and @ad<=20000509 172 authentication adj server with service with service with server and @ad<=20000509 172 authentication adj server with service with server and @ad<=20000509 10 authentication adj server with service adj server and @ad<=20000509 1 authentication adj server with service adj server with address and @ad<=20000509 1 authentication adj server with service adj server with address and @ad<=20000509 1 authentication adj server with server with separate with address and @ad<=20000509 1 authentication adj server with server with separate with address and @ad<=20000509 1 authentication adj server with separate with address and @ad<=20000509 1 authentication adj server with separate with address and @ad<=20000509 2 004/08/03 15:03 2 004/08/03 15:03 2 004/08/03 15:04 2 004/08/03 15:04 2 004/08/03 15:06 2 004/08/03 15:06			,		
- 172 authentication adj server with service with server and @ad<=20000509 - 10 authentication adj server with service adj server and @ad<=20000509 - 1 authentication adj server with service adj server with address and @ad<=20000509 - 1 authentication adj server with service adj server with address and @ad<=20000509 - 1 authentication adj server with server with separate with address and @ad<=20000509 - 1 authentication adj server with server with separate with address and @ad<=20000509 - 1 authentication adj server with separate with address and @ad<=20000509 - 1 authentication adj server with separate with address and @ad<=20000509 - 1 authentication adj server with separate with address and @ad<=20000509 - 1 authentication adj server with separate with address and @ad<=20000509 - 2004/08/03 15:06 - 2004/08/03 15:06					
- 172 authentication adj server with service with server and @ad<=20000509 - 10 authentication adj server with service adj server and @ad<=20000509 - 1 authentication adj server with service adj server with address and @ad<=20000509 - 1 authentication adj server with service adj server with address and @ad<=20000509 - 1 authentication adj server with server with separate with address and @ad<=20000509 - 1 authentication adj server with server with separate with address and @ad<=20000509 - 1 authentication adj server with separate with address and @ad<=20000509 - 1 authentication adj server with separate with address and @ad<=20000509 - 1 authentication adj server with separate with address and @ad<=20000509 - 1 authentication adj server with separate with address and @ad<=20000509 - 2004/08/03 15:06 - 2004/08/03 15:06		839		USPAT;	2004/08/03 15:03
authentication adj server with service with service with server and @ad<=20000509 10 authentication adj server with service adj server and @ad<=20000509 1 authentication adj server with service adj server with address and @ad<=20000509 1 authentication adj server with service adj server with address and @ad<=20000509 1 authentication adj server with server with separate with address and @ad<=20000509 1 authentication adj server with server with separate with address and @ad<=20000509 1 authentication adj server with separate with address and @ad<=20000509 1 authentication adj server with separate with address and @ad<=20000509 2004/08/03 15:03 2004/08/03 15:04 2004/08/03 15:06 2004/08/03 15:06 2004/08/03 15:06 2004/08/03 15:06			@ad<=20000509		
authentication adj server with service with service with server and @ad<=20000509 10 authentication adj server with service adj server and @ad<=20000509 1 authentication adj server with service adj server with address and @ad<=20000509 1 authentication adj server with service adj server with address and @ad<=20000509 1 authentication adj server with server with separate with address and @ad<=20000509 1 authentication adj server with server with separate with address and @ad<=20000509 1 authentication adj server with separate with address and @ad<=20000509 1 authentication adj server with separate with address and @ad<=20000509 2004/08/03 15:03 2004/08/03 15:04					
with server and @ad<=20000509 IUS-PGPUB; EPO; JPO; DERWENT USPAT; US-PGPUB; EPO; JPO; DERWENT US-PGPUB; EPO; JPO;]				
The separate with address and @ad<=20000509 1 authentication adj server with service adj server with address and @ad<=20000509 1 authentication adj server with service adj server with address and @ad<=20000509 1 authentication adj server with server with separate with address and @ad<=20000509 1 authentication adj server with server with separate with address and @ad<=20000509 1 authentication adj server with separate with address and @ad<=20000509 1 authentication adj server with separate with address and @ad<=20000509 2 2004/08/03 15:04 2 2004/08/03 15:04 2 2004/08/03 15:04 2 2004/08/03 15:06 2 2004/08/03 15:06 3 2004/08/03 15:06 4 2004/08/03 15:06 4 2004/08/03 15:06 4 2004/08/03 15:06	-	172			2004/08/03 15:03
authentication adj server with service adj server and @ad<=20000509 authentication adj server with service adj server with address and @ad<=20000509 authentication adj server with service adj server with address and @ad<=20000509 authentication adj server with server with separate with address and @ad<=20000509 authentication adj server with separate with address and @ad<=20000509 authentication adj server with separate with address and @ad<=20000509 authentication adj server with separate with address and @ad<=20000509 authentication adj server with separate with address and @ad<=20000509 authentication adj server with separate with address and @ad<=20000509 berwent uspat; usp			with server and @ad<=20000509		
authentication adj server with service adj server and @ad<=20000509 1 authentication adj server with service adj server with address and @ad<=20000509 1 authentication adj server with server with separate with address and @ad<=20000509 1 authentication adj server with server with separate with address and @ad<=20000509 1 authentication adj server with separate with address and @ad<=20000509 1 authentication adj server with separate with address and @ad<=20000509 2004/08/03 15:04 2004/08/03 15:04 2004/08/03 15:04 2004/08/03 15:04 2004/08/03 15:04 2004/08/03 15:04 2004/08/03 15:04 2004/08/03 15:04 2004/08/03 15:04					
adj server and @ad<=20000509 authentication adj server with service adj server with address and @ad<=20000509 authentication adj server with server with separate with address and @ad<=20000509 authentication adj server with server with separate with address and @ad<=20000509 authentication adj server with separate with address and @ad<=20000509 authentication adj server with separate with address and @ad<=20000509 authentication adj server with separate with address and @ad<=20000509 authentication adj server with separate with address and @ad<=20000509 authentication adj server with separate with address and @ad<=20000509 authentication adj server with separate with address and @ad<=20000509	_	10	authortication add server with corrier	1	2004/09/03 15:04
authentication adj server with service adj server with address and @ad<=20000509 authentication adj server with server with separate with address and @ad<=20000509 authentication adj server with separate with address and @ad<=20000509 authentication adj server with separate with address and @ad<=20000509 authentication adj server with separate with address and @ad<=20000509 authentication adj server with separate with address and @ad<=20000509 authentication adj server with separate with address and @ad<=20000509 authentication adj server with separate with address and @ad<=20000509 authentication adj server with separate with address and @ad<=20000509		10			2004/00/03 13:04
authentication adj server with service adj server with address and @ad<=20000509 authentication adj server with server with separate with address and @ad<=20000509 authentication adj server with separate with address and @ad<=20000509 authentication adj server with separate with address and @ad<=20000509 authentication adj server with separate with address and @ad<=20000509 authentication adj server with separate with address and @ad<=20000509 authentication adj server with separate with address and @ad<=20000509 authentication adj server with separate with separate with address and @ad<=20000509			ady Server and eady-20000303		
authentication adj server with service adj server with address and @ad<=20000509 authentication adj server with server with separate with address and @ad<=20000509 authentication adj server with separate with address and @ad<=20000509 authentication adj server with separate with address and @ad<=20000509 authentication adj server with separate with address and @ad<=20000509 authentication adj server with separate with address and @ad<=20000509 authentication adj server with separate with address and @ad<=20000509 authentication adj server with separate with separate with address and @ad<=20000509				1	
adj server with address and @ad<=20000509 1 authentication adj server with server with separate with address and @ad<=20000509 1 authentication adj server with separate with address and @ad<=20000509 1 authentication adj server with separate with address and @ad<=20000509 1 authentication adj server with separate with address and @ad<=20000509 2004/08/03 15:06 US-PGPUB; EPO; JPO; US-PGPUB; EPO; JPO; DERWENT USPAT; US-PGPUB; EPO; JPO;	_	1	authentication adi server with service		2004/08/03 15:04
authentication adj server with server with separate with address and @ad<=20000509 1 authentication adj server with separate with address and @ad<=20000509 2004/08/03 15:06 DERWENT USPAT; DERWENT USPAT; With address and @ad<=20000509 US-PGPUB; EPO; JPO; DERWENT USPAT; US-PGPUB; EPO; JPO;		*			
- 1 authentication adj server with server with separate with address and @ad<=20000509 US-PGPUB; EPO; JPO; DERWENT USPAT; authentication adj server with separate with address and @ad<=20000509 US-PGPUB; EPO; JPO; US-PGPUB; EPO; JPO;					
authentication adj server with server with separate with address and @ad<=20000509 authentication adj server with separate with address and @ad<=20000509 authentication adj server with separate with address and @ad<=20000509 authentication adj server with separate with address and @ad<=20000509 2004/08/03 15:06 USPAT;					
separate with address and @ad<=20000509 US-PGPUB; EPO; JPO; DERWENT USPAT; With address and @ad<=20000509 US-PGPUB; EPO; JPO; US-PGPUB; EPO; JPO;	-	1	authentication adj server with server with		2004/08/03 15:06
The second of th					
authentication adj server with separate USPAT; US-PGPUB; EPO; JPO;				EPO; JPO;	
with address and @ad<=20000509 US-PGPUB; EPO; JPO;					
EPO; JPO;	-	1		1	2004/08/03 15:06
			with address and @ad<=20000509		
DERWENT					
	L			DERWENT	

_	0	authentication adj server with different with address and @ad<=20000509	USPAT; US-PGPUB;	2004/08/03 15:06
			EPO; JPO;	
		•	DERWENT	
_	0	obtain\$ adj service adj credential and	USPAT;	2004/08/05 13:44
		@ad<=20000509	US-PGPUB;	
			EPO; JPO;	
			DERWENT	
_	12	service adj credential and @ad<=20000509	USPAT;	2004/08/05 13:46
			US-PGPUB;	2001, 00, 00 20110
			EPO; JPO;	
			DERWENT	
	316	remote adj method adj invocation and	USPAT;	2004/08/05 14:59
_	340	Pad<=20000509	US-PGPUB;	2004/00/05 14.55
		644/-20000309	EPO; JPO;	
			DERWENT	
		remote adj method adj invocation with	1	2004/08/05 15:00
-	1		USPAT;	2004/08/03 15:00
	İ	credential and @ad<=20000509	US-PGPUB;	
			EPO; JPO;	1
	1		DERWENT	0004/00/05 15 00
-	48		USPAT;	2004/08/05 15:00
		credential and @ad<=20000509	US-PGPUB;	
			EPO; JPO;	1
			DERWENT	0004/00/05 55 55
-	2	remote adj method adj invocation and	USPAT;	2004/08/05 15:03
	1	credential.ab. and @ad<=20000509	US-PGPUB;	
			EPO; JPO;	
			DERWENT	
-	63	remote adj method adj invocation and	USPAT;	2004/08/05 15:23
		sun.as. and @ad<=20000509	US-PGPUB;	İ
			EPO; JPO;	
			DERWENT	
-	217	czerwinski.in.	USPAT;	2004/08/05 15:24
			US-PGPUB;	
			EPO; JPO;	1
			DERWENT	i
-	130	czerwinski.in. and @ad<=20000509	USPAT;	2004/08/05 15:24
			US-PGPUB;	
			EPO; JPO;	
			DERWENT	
_	0	czerwinski and zhao.in. and @ad<=20000509	USPAT;	2004/08/06 11:21
			US-PGPUB;	
			EPO; JPO;	
			DERWENT	
_	0	indicat\$ with capability with desire\$1	USPAT;	2004/08/06 09:53
	_	with service and @ad<=20000509	US-PGPUB;	
			EPO; JPO;	
			DERWENT	
_	3	credential with XML and @ad<=20000509	USPAT;	2004/08/06 10:00
	1	la dia dia dia dia dia dia dia dia dia di	US-PGPUB;	
			EPO; JPO;	
	[DERWENT	
1_	148	request with (XML) and @ad<=20000509	USPAT;	2004/08/06 10:00
	1.0		US-PGPUB;	2301,00,00 10.00
			EPO; JPO;	
	[DERWENT	
_	a	request adj message with (XML) and	USPAT;	2004/08/06 10:04
		lead<=20000509	US-PGPUB;	2004/00/00 10:04
		644.4-2000000	EPO; JPO;	
	1		DERWENT	
_	1	request near3 (crodential or cambility and		2004/08/06 10:07
		request near3 (credential or capability or certificate) with (XML) and @ad<=20000509	USPAT;	2004/00/00 10:0/
		certificate, with (AML) and Gad<=20000509	US-PGPUB;	
			EPO; JPO;	
1_	67	(anadantial on canability as sentificate)	DERWENT	2004/00/00 11 00
1	67	(USPAT;	2004/08/06 11:20
	1	with (XML) and @ad<=20000509	US-PGPUB;	
			EPO; JPO;	
1_	-	and a second sec	DERWENT	2004/00/06 17 5:
-	7	and aminimum and and and and and and and and and and	USPAT;	2004/08/06 11:21
		and @ad<=20000509	US-PGPUB;	
			EPO; JPO;	
	<u></u>		DERWENT	<u> </u>

_	4	(US-6330562-\$ or US-5227778-\$ or	USPAT;	2004/08/06 11:21
		US-6571095-\$).did. or (US-5560008-\$).did.	DERWENT	
_	2	((US-6330562-\$ or US-5227778-\$ or	USPAT;	2004/08/06 11:41
		US-6571095-\$).did. or (US-5560008-\$).did.)	US-PGPUB;	
		and advertisement	EPO; JPO;	
			DERWENT	
_	2	protected adj advertisement and	USPAT;	2004/08/06 12:05
		@ad<=20000509	US-PGPUB;	
			EPO; JPO;	
			DERWENT	
_	2	capability adj credential and	USPAT;	2004/08/06 12:05
		@ad<=20000509	US-PGPUB;	
			EPO; JPO;	
			DERWENT	
_	18	capability with credential and	USPAT;	2004/08/06 12:06
		@ad<=20000509	US-PGPUB;	
		,	EPO; JPO;	
			DERWENT	
_	236	credential with request and @ad<=20000509	USPAT;	2004/08/06 12:07
		and day and and	US-PGPUB;	=001,00,00 1210,
			EPO; JPO;	
			DERWENT	
_	123	credential near2 request and @ad<=20000509	USPAT;	2004/08/06 12:07
		orodonozaz nodra rogdoso dna (dd v E000000)	US-PGPUB;	2001,00,00 12:07
			EPO; JPO;	
			DERWENT	
_	73	credential near request and @ad<=20000509	USPAT:	2004/08/06 12:22
	1	orodonoral noar roquest and cad 2000000	US-PGPUB;	2001,00,00 12:22
			EPO; JPO;	
			DERWENT	
_	20	request near2 access near token and	USPAT;	2004/08/06 12:23
		@ad<=20000509	US-PGPUB;	2001,00,00 12.25
			EPO; JPO;	
			DERWENT	
_	197	user adj credential and @ad<=20000509	USPAT;	2004/08/06 12:24
		and the cade and t	US-PGPUB;	2001,00,00 12.24
			EPO; JPO;	
			DERWENT	
_	38	user adj credential with request\$ and	USPAT;	2004/08/06 12:24
		@ad<=20000509	US-PGPUB;	2001/00/00 12.24
			EPO; JPO;	
	1		DERWENT	
	1	I	DEVARIAT	l

L Number	Hits	Search Text	DB	Time stamp
_	0	capability with credential with	USPAT;	2004/08/05 10:54
		advertisement and @ad<=20000509	US-PGPUB;	
			EPO; JPO;	
			DERWENT	
-	0	capability with credential and	USPAT;	2004/08/05 10:54
		advertisement and @ad<=20000509	US-PGPUB;	
			EPO; JPO;	
			DERWENT	
-	18	<u>1</u>	USPAT;	2004/08/05 11:10
		@ad<=20000509	US-PGPUB;	
· .			EPO; JPO;	
			DERWENT	
~	1	1 (3-ap-1-2- 2- all-4as/aa) all-4as aaj	USPAT;	2004/08/05 11:13
		identifier and @ad<=20000509	US-PGPUB;	
			EPO; JPO;	
	65	(DERWENT	0004400405 44 04
_	65	(,	USPAT;	2004/08/05 11:34
		@ad<=20000509	US-PGPUB;	
			EPO; JPO;	
	0	(UUID or GUID) with advertisement and	DERWENT	2004/00/05 11 25
-	U	(UUID or GUID) with advertisement and (ad<=20000509	USPAT;	2004/08/05 11:35
		@ad<=20000509	US-PGPUB; EPO; JPO;	
			DERWENT	
_	67	 service with advertisement and distributed	USPAT:	2004/08/05 11:37
	07	adj comput\$ and @ad<=20000509	US-PGPUB;	2004/00/05 11:3/
		adj compacy and ead -2000000	EPO; JPO;	
			DERWENT	
	17	service with advertisement and credential	USPAT;	2004/08/05 11:37
	1,	and capability and @ad<=20000509	US-PGPUB;	2004/00/05 11.5/
		and capability and gadv-20000000	EPO; JPO;	
			DERWENT	
L			DUINI	L